

Santa Ana and Garden Grove Fixed Guideway Corridor

Appendix Š

Energy Output Tables



This page intentionally left blank.

Electricity Consumption from Streetcar Operations for the IOS Alternatives

250	750	187500	187.5 KW per hour of streetcar operation (per streetc
20 miles	per	hour	
9.375 kWh	per	mile	backcheck - max
11250 peak	all streetcars - avg. weekday		backcheck - max
4500 off peak			
15750			
5,307,750	Streetcar Alternative 1 (10/15 headways)		backcheck - max

per LTK Ops Memo

- 7.9 miles per roundtrip
- 12 trips per peak hour (10-minute peak hour headways)
- 8 trips (15-minute peak hour headways)
- 12 peak hours per day
- 6 off peak hours per day
- 144 peak hour roundtrips per weekday
- 48 off peak hour roundtrips per weekday
- 192 trips per weekday annualization factor per LTK Ops. Memo
- 1516.8 vmt per weekday

511,162 VMT (annual) for the full system
Streetcar Alternative 1 (10/15 headways)

Source: Salt Lake City, UT Tiger Grant App.

Streetcar

8.1 kWh per vehicle mile

12286 kWh per day in revenue operation

4,140,409

4,140,409 Streetcar Alternative 1 (10/15 headways)

Source:

South Sacramento (LRT)

7.5 kWh per vehicle mile

Corridor Phase II FEIS/FEIR

3,833,712 Streetcar Alternative 1 (10/15 headways)

20697.8 20,697,802,640 Orange County Electricity Consumption
0.02%

Electricity Consumption from Streetcar Operations for the IOS Alternatives

250	750	187500	187.5 KW per hour of streetcar operation (per streetc
20 miles	per	hour	
9.375 kWh	per	mile	backcheck - max
11250 peak	all streetcars - avg. weekday		backcheck - max
4500 off peak			
15750			
5,307,750	Streetcar Alternative 1 (10/15 headways)		backcheck - max

per LTK Ops Memo

- 2.28 miles per roundtrip
- 12 trips per peak hour (10-minute peak hour headways)
- 8 trips (15-minute peak hour headways)
- 12 peak hours per day
- 6 off peak hours per day
- 144 peak hour roundtrips per weekday
- 48 off peak hour roundtrips per weekday
- 192 trips per weekday annualization factor per LTK Ops. Memo
- 437.76 vmt per weekday

147,525 VMT (annual) for the full system
Streetcar Alternative 1 (10/15 headways)

Source: Salt Lake City, UT Tiger Grant App.

Streetcar

8.1 kWh per vehicle mile

3546 kWh per day in revenue operation

1,194,953

1,194,953 Streetcar Alternative 1 (10/15 headways)

Source:

South Sacramento (LRT)

7.5 kWh per vehicle mile

Corridor Phase II FEIS/FEIR

1,106,438 Streetcar Alternative 1 (10/15 headways)

20697.8 20,697,802,640 Orange County Electricity Consumption
0.01%